

Sample Design of Rural ASER 2010

The purpose of rural ASER 2010 is twofold: (i) to get reliable estimates of the status of children's schooling and basic learning (reading, writing and math ability) at the district level; and (ii) to measure the change in these basic learning and school statistics from last year. Every year a core set of questions regarding schooling status and basic learning levels remains the same. However a set of new questions are added for exploring different dimensions of schooling and learning in the elementary stage. The latter set of questions is different each year.

ASER 2006 and 2007 tested reading comprehension for different kinds of readers. ASER 2007 introduced testing in English and asked questions on paid tuition, which were repeated in 2009. ASER 2008 for the first time had questions on telling time and oral math problems using currency. In addition, ASER 2008 incorporated questions on village infrastructure and household assets. Investigators were asked to record whether the village visited had a pukka road leading to it, whether it had a bank, ration shop, etc. In the sampled households information on assets like type of house, phone, television, etc was recorded. These questions were repeated in 2009 and in addition father's education was also recorded.

ASER 2010 brings together elements from various previous ASERs. The core questions on school status and basic reading and arithmetic remain. From 2009, we retain questions on paid tuition, parent's education, household and village characteristics. In addition, this year ASER tests mothers on their numeracy skills. For the first time, ASER 2010 introduces questions on critical thinking for children in class 5 and above. These questions are based on simple mathematical operations that appear in standard class 5 textbooks.

Every alternate year, ASER surveyors visit a government primary or upper primary school in each sampled village. The school information is recorded either based on observations (such as attendance or usability of the facilities) or with information provided by the school (such as grants information). School observations have been reported in 2005, 2007 and 2009 and will also be reported in ASER 2010.

Finally, ASER 2010 continues the process of strengthening and streamlining started in 2008. In each district 2 – 4 villages were re-visited after the survey in order to check how the survey was conducted.

Since one of the goals of ASER is to generate estimates of change in learning, a panel survey design would provide more efficient estimates of the change. However, given the large sample size of the ASER surveys and cost considerations, we adopted a rotating panel of villages rather than children. In ASER 2009, we retained the 10 villages from 2007 and 2008 and added 10 new villages. In ASER 2010 we dropped the 10 villages from ASER 2007, kept the 10 villages from 2008 and 2009 and added 10 more villages from the census village directory.

The sampling strategy used generates a representative picture of each district. All rural districts are surveyed. The estimates obtained are then aggregated to the state and all-India levels.

Since estimates were to be generated at the district level, the minimum sample size calculations had to start at the district level. The sample size is determined by the following considerations:

- Incidence of what is being measured in the population. Since a survey of learning has never been done in India, the incidence of what we are trying to measure is unknown in the population.¹
- Confidence level of estimates. The standard used is 95%.
- Precision required on either side of the true value. The standard degree of accuracy most surveys employ is between 5 and 10 per cent. An absolute precision of 5 % along with a 95% confidence level implies that the estimates generated by the survey will be within 5 percentage points of the true values with a 95% probability. The precision can also be specified in relative terms --- a relative precision of 5% means that the estimates will be within 5% of the true value. Relative precision requires higher sample sizes.

Sample size calculations can be done in various ways, depending on what assumptions are made about the underlying population. With a 50 % incidence, 95% confidence level and 5% absolute precision, the minimum sample size required in each strata² is 384.³ This derivation assumes that the population proportion is normally distributed. On the other hand, a sample size of 384 would imply a relative precision of 10%. If we were to require a 5% relative precision, the sample size would increase to 1600.⁴ Note that all the sample size calculations require estimating the incidence in the population. In our case, we can get an estimate of the incidence from previous ASER surveys. However, incidence varies across different indicators --- so incidence of reading ability is different from incidence of dropouts. In addition, we often want to measure things that are not binary for which we need more observations.

¹ For the rural sector we can use the estimates from ASER 2009 to get an idea of the incidence in the population.

² Stratification is discussed below.

³ The sample size with absolute precision is given by $\frac{z^2 p q}{d^2}$ where z is the standard normal deviate corresponding to 95% probability (=1.96), p is the incidence in the population (0.5), $q=(1-p)$ and d is the degree of precision required (0.05).

⁴ The sample size with relative precision is given by $\frac{z^2 q}{r^2 p}$ where z is the standard normal deviate corresponding to 95% probability (=1.96), p is the incidence in the population (0.5), $q=(1-p)$ and r is the degree of relative precision required (0.1).

Given these considerations, the sample size was decided to be 600 households in each district.⁵ Note that at the state level and at the all-India level the survey has many more observations lending estimates at those levels much higher levels of precision.

ASER has a two-stage sample design. In the first stage, 30 villages are randomly selected using the village directory of the 2001 census as the sample frame.⁶ In the second stage 20 households were randomly selected in each of the 30 selected villages in the first stage.

Villages are selected using the probability proportional to size (PPS) sampling method. This method allows villages with larger populations to have a higher chance of being selected in the sample. It is most useful when the sampling units vary considerably in size because it assures that those in larger sites have the same probability of getting into the sample as those in smaller sites, and vice versa.^{7, 8}

In the selected villages, 20 households are surveyed. Ideally, a complete houselist of the selected village should have been made and 20 households selected randomly from it. However, given time and resource constraints a procedure for selecting households was adopted that preserved randomness as much as possible. The field investigators were asked to divide the village into four parts. This was done because villages often consist of hamlets and a procedure that randomly selects households from some central location may miss out households on the periphery of the village. In each of the four parts, investigators were asked to start at a central location and pick every 5th household in a circular fashion till 5 households were selected. In each selected household, all children in the age group of 5-16 were tested.⁹

⁵ Sample size calculations assume simple random sampling. However, simple random sampling is unlikely to be the method of choice in an actual field survey. Therefore, often a “design effect” is added to the sample size. A design effect of 2 would double the sample size. At the district level a 7% precision along with a 95% confidence level would imply a sample size of 196, giving us a design effect of approximately three. However, note that a sample size of 600 households gives us approximately 1000 – 1200 children per district.

⁶ Of these 30 villages, 10 are from ASER 2008, 10 from ASER 2009 and 10 are newly selected in 2010. They were selected randomly from the same sample frame. The 10 new villages are picked as an independent sample.

⁷ Probability proportional to size (PPS) is a sampling technique in which the probability of selecting a sampling unit (village, in our case) is proportional to the size of its population. The method works as follows: First, the cumulative population by village calculated. Second, the total household population of the district is divided by the number of sampling units (villages) to get the sampling interval (SI). Third, a random number between 1 and the SI is chosen. This is referred to as the random start (RS). The RS denotes the site of the first village to be selected from the cumulated population. Fourth, the following series of numbers is formed: RS; RS+SI; RS+2SI; RS+3SI; The villages selected are those for which the cumulative population, contains the numbers in the series.

⁸ Most large household surveys in India, like the National Sample Survey and the National Family Health Survey also use this two stage design and use PPS to select villages in the first stage.

⁹ In larger villages, the investigators increased the interval according to a rough estimate of the number of households in each part. For instance, if a village had 2000 households, each part in the village would have roughly 500 households. Selecting every 5th household would leave out a large chunk of the village un-surveyed. In such situations, investigators were asked to increase the interval between selected households.

The survey provides estimates at the district, state and national levels. In order to aggregate estimates up from the district level households had to assigned weights --- also called inflation factors. The inflation factor corresponding to particular household denotes the number of households that the sampled household represents in the population. Given that 600 households are sampled in each district regardless of the size of the district, a household in a larger district will represent many more households and, therefore, have a larger weight associated with it than one in a sparsely populated district.

The advantage of using PPS sampling is that the sample is self weighting at the district level. In other words, in each district the weight assigned to each of the sampled household turns out to be the same. This is because, the inflation factor associated with a household is simply the inverse of the probability of it being selected into the sample times the number of households in the sample. Since PPS sampling ensures that all households have an equal chance of being selected at the district level, the weights associated with households in the same district are the same. Therefore, weighted estimates are exactly the same as the un-weighted estimates at the district level. However, to get estimates at the state and national levels, weighted estimates are needed since states have a different number of districts and districts vary by population.

Even though the purpose of the survey is to estimate learning levels among children, the household was chosen as the second stage sampling unit. This has a number of advantages. First, children are tested at home rather than in school, allowing all children to be tested rather than just those in school. Further, testing children in school might create a bias since teachers may encourage testing the brighter children in class. Second, a household sample will generate an age distribution of children which can be cross-checked with other data sources, like the census and the NSS. Third, a household sample makes calculation of the inflation factors easier since the population of children is no longer needed.

Often household surveys are stratified on various parameters of interest. The reason for stratification is to get enough observations on entities that have the characteristic that is being studied. The ASER survey stratifies the sample by population in the first stage. No stratification was done at the second stage. Finally, if we were to stratify on households with children in the 3-16 age group, we would need the population of such households in the village, which is not possible without a complete houselist of the village.